



ELSEVIER


Chemical Engineering Journal 85 (2002) 387

Chemical
Engineering
Journal

www.elsevier.com/locate/cej

Author Index of Volume 85

- Akay, G. 153
Alguacil, F.J. 259, 265
Alonso, M. 259, 265
Arzamendi, G. 339
Assabumrungrat, S. 69
Asua, J.M. 339
Aziz, N. 313
- Barbieri, G. 53
Belabbes, R. 1
Belena, J.F. 41
Bengtson, G. 303
Benyoussef, E.-H. 1
Bergmann, H. 99, 111
Bessiere, J.-M. 1
Bouzek, K. 99, 111
- Çakici, A. 153
Chen, C.-K. 189
Chen, H.S. 235
Chiang, S.-C. 207
Cobo, A. 259
Cvengroš, J. 225
- Daufin, G. 27
de Gélécourt, Y.S. 17
Devahastin, S. 215
Drioli, E. 53
Duan, Z. 379
Dutta, N.N. 61
- Eow, J.S. 357
Erkoç, E. 153
Frances, C. 177
- Fritsch, D. 303
- Garcia, F. 177
Gärtner, R. 273
Gésan-Guizieu, G. 27
Ghadiri, M. 357
Golemme, G. 53
Goswami, P. 61
Goto, S. 69
- Hasni, S. 1
Hazarika, A.K. 61
Hazarika, S. 61
Henschke, M. 369
Ho, C.-D. 207
Houf, D. 147
Howes, T. 17
Hsu, P.-T. 189
- Igarashi, K. 161, 169
Ilhan, S. 351
Iourtchouk, T. 111
- Janssen, L.J.J. 127, 137
- Kalman, H. 197
Keskinler, B. 153
Kiliçarslan, S. 351
Kim, Y.H. 289
Koene, L. 127, 137
Krishna, R. 7
Krýsa, J. 147
- Le Bolay, N. 177
Lei, Z. 379
- Leiza, J.R. 339
Lima, E.L. 339
Liu, Y.-H. 189
Lutišan, J. 225
- Marigliano, G. 53
Micov, M. 225
Mok, Y.S. 87
Mori, Y.H. 197
Mujtaba, I.M. 313
Mujumdar, A.S. 215
- Nam, I.-S. 87
Neil, J. 17
Ni, X. 17
Noda, H. 161, 169
Nurbaş Nourbakhsh, M. 351
- Oduoza, C.F. 119, 147
Ooshima, H. 161, 169
Ozdag, H. 351
- Paev, K. 245
Paidar, M. 99
Pandit, A.B. 327
Paschek, D. 7
Pentchev, I. 245
Pfennig, A. 369
Pinto, J.C. 339
Praserthdam, P. 69
- Rahman, S.U. 35
Rienchalanusarn, T. 69
- Sastre, A.M. 265
Sayer, C. 339
Scheel, H. 303
Schlieper, L.H. 369
Schöps, K. 111
Schulte, M. 273
Seikova, I. 245
Shan, G. 161, 169
Sharma, R.N. 35
Sivakumar, M. 327
Song, J.C. 235
Spoor, P.B. 127
Strube, J. 273
- Tatake, P.A. 327
ter Veen, W.R. 127
Theis, J. 303
- Vicente, M. 339
- Wakeman, R.J. 27
Wang, F.A. 235
Wang, S.-G. 189
Wang, Z.C. 235
Warsi, Z.U.A. 41
Wragg, A.A. 119, 147
- Yapici, S. 153
Yeh, H.-M. 207
- Zhang, H. 81
Zhou, R. 379
Zhu, J.Q. 235





ELSEVIER

Chemical Engineering Journal 85 (2002) 389–393

Chemical
Engineering
Journal

www.elsevier.com/locate/cej

Subject Index of Volume 85

ACN/C4

Process improvement on separating C4 by extractive distillation, 379

Acorga M5640

Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part I: solvent extraction study, 259

Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part II. Supported liquid membrane study, 265

Activated carbon

Regeneration of exhausted activated carbon by electrochemical method, 81

Adsorption

Effect of catalytic surface curvature on the chemical performance with defect structures, 41

Regeneration of exhausted activated carbon by electrochemical method, 81

Alkaline solution

Influence of cell construction on the electrochemical reduction of nitrate, 99

Alternating current

Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357

25, 40 and 25 + 40 kHz

Kinetics of *p*-nitrophenol degradation: effect of reaction conditions and cavitation parameters for a multiple frequency system, 327

Axial dispersion coefficient

On the effect of tracer density on axial dispersion in a batch oscillatory baffled column, 17

Bacillus sp.

Biosorption of Cr^{6+} , Pb^{2+} and Cu^{2+} ions in industrial waste water on *Bacillus* sp., 351

Baffles

Local mass-transfer distribution in the channels of a serpentine flow baffled parallel plate cell, 119

Basic data

Estimation of excess enthalpy for binary systems, 235

Batch crystallizer

Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161

Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169

Batch reactor

Optimal operation policies in batch reactors, 313

Batch-settling experiment

Determination of a coalescence parameter from batch-settling experiments, 369

Bidisperse adsorbent

Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245

Biosorption

Biosorption of Cr^{6+} , Pb^{2+} and Cu^{2+} ions in industrial waste water on *Bacillus* sp., 351

Bubbles

Experimental analysis of a single vapor bubble condensing in subcooled liquid, 197

Carbon felt electrode

Effect of pulsed flow on the performance of carbon felt electrode, 153

Catalyst activation

Effect of catalytic surface curvature on the chemical performance with defect structures, 41

Catalytic pervaporation

Catalytic membrane reactor to simultaneously concentrate and react organics, 303

Cathode

Influence of cell construction on the electrochemical reduction of nitrate, 99

Cell type

Influence of cell construction on the electrochemical reduction of nitrate, 99

Centrifugal force

Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357

Chain-transfer agent

Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339

4-Chlorophenol

Catalytic membrane reactor to simultaneously concentrate and react organics, 303

Chromatography

Process development of product recovery and solvent recycling steps of chromatographic separation processes, 273

CO_2 hydrogenation

Simulation of CO_2 hydrogenation with CH_3OH removal in a zeolite membrane reactor, 53

Coalescence

Determination of a coalescence parameter from batch-settling experiments, 369

Comminution

Changes of surface and volume properties of calcite during a batch wet grinding process, 177

Condensation

An inverse approach for estimation of the surface heat flux distribution on a horizontal elliptical tube with laminar film condensation, 189

Experimental analysis of a single vapor bubble condensing in subcooled liquid, 197

Conjugated Graetz problem

A study of mass transfer efficiency in a parallel-plate channel with external refluxes, 207

Control polymorphs

Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169

- Copolymer composition
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- Copper
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part II. Supported liquid membrane study, 265
- Copper(II)
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part I: solvent extraction study, 259
- Coriandrum sativum L.
Modélisation du transfert de matière lors de l'extraction de l'huile essentielle des fruits de coriandre, 1
- Corona discharge
Modeling of pulsed corona discharge process for the removal of nitric oxide and sulfur dioxide, 87
- Critical permeation flux
Stability of latex crossflow filtration: cake properties and critical conditions of deposition, 27
- Crossflow filtration
Stability of latex crossflow filtration: cake properties and critical conditions of deposition, 27
- Crystal size distribution
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Crystallization
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
- Deionization
Continuous deionization of a dilute nickel solution, 127
- Deposition
Stability of latex crossflow filtration: cake properties and critical conditions of deposition, 27
- Desorption
Effect of catalytic surface curvature on the chemical performance with defect structures, 41
- Disinfection
New UV irradiation and direct electrolysis—promising methods for water disinfection, 111
- Dispersions
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- DMF/C4
Process improvement on separating C4 by extractive distillation, 379
- Downstream processing
Process development of product recovery and solvent recycling steps of chromatographic separation processes, 273
- Drag coefficient
Experimental analysis of a single vapor bubble condensing in subcooled liquid, 197
- Dynamic optimisation
Optimal operation policies in batch reactors, 313
- Effluent treatment
The role of electrochemistry and electrochemical technology in environmental protection, 137
- Electric fields
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Electrochemical flow cell
Local mass-transfer distribution in the channels of a serpentine flow baffled parallel plate cell, 119
- Electrochemical method
Free convective mass transfer at up-pointing truncated cones, 147
- Electrochemical processes
The role of electrochemistry and electrochemical technology in environmental protection, 137
- Electrochemical regeneration
Regeneration of exhausted activated carbon by electrochemical method, 81
- Electrocoalescence
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Electrodialysis
Continuous deionization of a dilute nickel solution, 127
- Electrolysis
New UV irradiation and direct electrolysis—promising methods for water disinfection, 111
- Electrolytic reactor
Effect of pulsed flow on the performance of carbon felt electrode, 153
- Electroplating and surface finishing industry
The role of electrochemistry and electrochemical technology in environmental protection, 137
- Emulsion polymerization
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- Enantiomers
Process development of product recovery and solvent recycling steps of chromatographic separation processes, 273
- Essential oil
Modélisation du transfert de matière lors de l'extraction de l'huile essentielle des fruits de coriandre, 1
- Esterification
Ethyl oleate synthesis by *Porcine pancreatic* lipase in organic solvents, 61
- Ethyl oleate
Ethyl oleate synthesis by *Porcine pancreatic* lipase in organic solvents, 61
- Excess enthalpy
Estimation of excess enthalpy for binary systems, 235
- Extraction
Modélisation du transfert de matière lors de l'extraction de l'huile essentielle des fruits de coriandre, 1
- Extractive distillation
Process improvement on separating C4 by extractive distillation, 379
- Facilitated transport
Effect of pulsed flow on the performance of carbon felt electrode, 153
- Film drainage
Determination of a coalescence parameter from batch-settling experiments, 369
- Fixed bed
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Flow regime diagram
A numerical study of flow and mixing characteristics of laminar confined impinging streams, 215
- Fouling
Stability of latex crossflow filtration: cake properties and critical conditions of deposition, 27
- Free convection
Free convective mass transfer at up-pointing truncated cones, 147
- Frequency
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Frequency effects
Kinetics of *p*-nitrophenol degradation: effect of reaction conditions and cavitation parameters for a multiple frequency system, 327

- Gas adsorption
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Heat and mass transfer
Heat and mass transfer in the evaporating film of a molecular evaporator, 225
- Heat flux
An inverse approach for estimation of the surface heat flux distribution on a horizontal elliptical tube with laminar film condensation, 189
- Heat of adsorption
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Heat transfer
Free convective mass transfer at up-pointing truncated cones, 147
- Heat transfer coefficient
Experimental analysis of a single vapor bubble condensing in subcooled liquid, 197
- Heavy metal biosorption
Biosorption of Cr^{6+} , Pb^{2+} and Cu^{2+} ions in industrial waste water on *Bacillus* sp., 351
- Heavy metal contamination
Biosorption of Cr^{6+} , Pb^{2+} and Cu^{2+} ions in industrial waste water on *Bacillus* sp., 351
- Heavy metals
Biosorption of Cr^{6+} , Pb^{2+} and Cu^{2+} ions in industrial waste water on *Bacillus* sp., 351
- Hot spot temperature
Theoretical study of the application of porous membrane reactor to oxidative dehydrogenation of *n*-butane, 69
- Hydrodynamics
Local mass-transfer distribution in the channels of a serpentine flow baffled parallel plate cell, 119
- Inert membrane reactor
Theoretical study of the application of porous membrane reactor to oxidative dehydrogenation of *n*-butane, 69
- In-line mixer
A numerical study of flow and mixing characteristics of laminar confined impinging streams, 215
- Inverse approach
An inverse approach for estimation of the surface heat flux distribution on a horizontal elliptical tube with laminar film condensation, 189
- Ion exchange assisted electrodialysis
The role of electrochemistry and electrochemical technology in environmental protection, 137
- Ion-exchange
Continuous deionization of a dilute nickel solution, 127
- Iterative dynamic programming
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- L-aspartic acid
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
- Latex
Stability of latex crossflow filtration: cake properties and critical conditions of deposition, 27
- Least-squares method
An inverse approach for estimation of the surface heat flux distribution on a horizontal elliptical tube with laminar film condensation, 189
- L-glutamic acid
Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Liquid-liquid dispersion
Determination of a coalescence parameter from batch-settling experiments, 369
- Mass transfer
Local mass-transfer distribution in the channels of a serpentine flow baffled parallel plate cell, 119
Free convective mass transfer at up-pointing truncated cones, 147
A study of mass transfer efficiency in a parallel-plate channel with external refluxes, 207
- Mathematical model
Modeling of pulsed corona discharge process for the removal of nitric oxide and sulfur dioxide, 87
- Maxwell-Stefan theory
Verification of the Maxwell-Stefan theory for tracer diffusion in zeolites, 7
- MD simulation
Verification of the Maxwell-Stefan theory for tracer diffusion in zeolites, 7
- Membrane transport
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part II. Supported liquid membrane study, 265
- Methanol
Simulation of CO_2 hydrogenation with CH_3OH removal in a zeolite membrane reactor, 53
- Micro-porous membrane reactor
Simulation of CO_2 hydrogenation with CH_3OH removal in a zeolite membrane reactor, 53
- MMA/*n*-BA
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- Model
Optimal operation policies in batch reactors, 313
- Modelling
Modélisation du transfert de matière lors de l'extraction de l'huile essentielle des fruits de coriandre, 1
Estimation of excess enthalpy for binary systems, 235
- Molecular distillation
Heat and mass transfer in the evaporating film of a molecular evaporator, 225
- Molecular evaporator
Heat and mass transfer in the evaporating film of a molecular evaporator, 225
- Momentum/mass equations
A simple model for turbulent boundary layer mass transfer on flat plate in parallel flow, 35
- Multivariable control
Structural design and operation of a fully thermally coupled distillation column, 289
- MWD
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- Nickel ions
Continuous deionization of a dilute nickel solution, 127
- Nitrate acid
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part I: solvent extraction study, 259
- Nitrate/nitric acid
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part II. Supported liquid membrane study, 265
- Nitrates
Influence of cell construction on the electrochemical reduction of nitrate, 99

- Nitric oxide
Modeling of pulsed corona discharge process for the removal of nitric oxide and sulfur dioxide, 87
- Non-isothermal
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- p*-NP
Kinetics of *p*-nitrophenol degradation: effect of reaction conditions and cavitation parameters for a multiple frequency system, 327
- Numerical analysis
Effect of catalytic surface curvature on the chemical performance with defect structures, 41
- Numerical solution
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Onset of instability
A numerical study of flow and mixing characteristics of laminar confined impinging streams, 215
- Opposing jets
A numerical study of flow and mixing characteristics of laminar confined impinging streams, 215
- Optimal operation
Optimal operation policies in batch reactors, 313
- Optimization
Dynamic optimization of non-linear emulsion copolymerization systems. Open-loop control of composition and molecular weight distribution, 339
- Orthogonal expansion techniques
A study of mass transfer efficiency in a parallel-plate channel with external refluxes, 207
- Oscillatory baffled column
On the effect of tracer density on axial dispersion in a batch oscillatory baffled column, 17
- Oxidative dehydrogenation
Theoretical study of the application of porous membrane reactor to oxidative dehydrogenation of *n*-butane, 69
- Parallel plate cell
Local mass-transfer distribution in the channels of a serpentine flow baffled parallel plate cell, 119
- Partial competitive biosorption
Biosorption of Cr^{6+} , Pb^{2+} and Cu^{2+} ions in industrial waste water on *Bacillus* sp., 351
- Path constraint
Optimal operation policies in batch reactors, 313
- Periodic flows
Effect of pulsed flow on the performance of carbon felt electrode, 153
- Petlyuk column design
Structural design and operation of a fully thermally coupled distillation column, 289
- Petlyuk column operation
Structural design and operation of a fully thermally coupled distillation column, 289
- Plug flow with axial dispersion model
On the effect of tracer density on axial dispersion in a batch oscillatory baffled column, 17
- Polymer membrane reactor
Catalytic membrane reactor to simultaneously concentrate and react organics, 303
- Porcine pancreatic lipase*
Ethyl oleate synthesis by *Porcine pancreatic lipase* in organic solvents, 61
- Process improvement
Process improvement on separating C4 by extractive distillation, 379
- Process intensification
Effect of pulsed flow on the performance of carbon felt electrode, 153
- Process simulation
Process development of product recovery and solvent recycling steps of chromatographic separation processes, 273
- Pulsed
Modeling of pulsed corona discharge process for the removal of nitric oxide and sulfur dioxide, 87
- Pulsed direct current
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Radial dispersion
Theoretical study of the application of porous membrane reactor to oxidative dehydrogenation of *n*-butane, 69
- Recycle
A study of mass transfer efficiency in a parallel-plate channel with external refluxes, 207
- Reduction
Influence of cell construction on the electrochemical reduction of nitrate, 99
- Regeneration of metal
The role of electrochemistry and electrochemical technology in environmental protection, 137
- Relative volatility
Heat and mass transfer in the evaporating film of a molecular evaporator, 225
- Schmidt number
A simple model for turbulent boundary layer mass transfer on flat plate in parallel flow, 35
- Separation
Simulation of CO_2 hydrogenation with CH_3OH removal in a zeolite membrane reactor, 53
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Simulated-moving-bed
Process development of product recovery and solvent recycling steps of chromatographic separation processes, 273
- Solvent extraction
Copper separation from nitrate/nitric acid media using Acorga M5640 extractant. Part I: solvent extraction study, 259
- Sonolysis
Kinetics of *p*-nitrophenol degradation: effect of reaction conditions and cavitation parameters for a multiple frequency system, 327
- Steam distillation
Modélisation du transfert de matière lors de l'extraction de l'huile essentielle des fruits de coriandre, 1
- Stirred bead mill
Changes of surface and volume properties of calcite during a batch wet grinding process, 177
- Structural design
Structural design and operation of a fully thermally coupled distillation column, 289
- Sulfur dioxide
Modeling of pulsed corona discharge process for the removal of nitric oxide and sulfur dioxide, 87
- Tanks-in-series model
On the effect of tracer density on axial dispersion in a batch oscillatory baffled column, 17
- Thermally coupled distillation
Structural design and operation of a fully thermally coupled distillation column, 289
- Thermodynamics
Estimation of excess enthalpy for binary systems, 235
- Tracer density
On the effect of tracer density on axial dispersion in a batch oscillatory baffled column, 17

- Tracer diffusion
Verification of the Maxwell–Stefan theory for tracer diffusion in zeolites, 7
- Transformation
Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Truncated cone
Free convective mass transfer at up-pointing truncated cones, 147
- Turbulent mass transfer
A simple model for turbulent boundary layer mass transfer on flat plate in parallel flow, 35
- Two-dimensional model
Dynamics of non-isothermal adsorption in packed bed of biporous zeolites, 245
- Ultrasonic wave
Kinetics of *p*-nitrophenol degradation: effect of reaction conditions and cavitation parameters for a multiple frequency system, 327
- UV irradiation
New UV irradiation and direct electrolysis—promising methods for water disinfection, 111
- VLE
Process improvement on separating C4 by extractive distillation, 379
- Wall Wetter
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
- Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Waste water
Biosorption of Cr^{6+} , Pb^{2+} and Cu^{2+} ions in industrial waste water on *Bacillus* sp., 351
- Water treatment
New UV irradiation and direct electrolysis—promising methods for water disinfection, 111
- Water-in-oil emulsions
Electrostatic enhancement of coalescence of water droplets in oil: a review of the technology, 357
- Wet grinding
Changes of surface and volume properties of calcite during a batch wet grinding process, 177
- Wiped film
Heat and mass transfer in the evaporating film of a molecular evaporator, 225
- WWDJ batch crystallizer
Production of large crystals with a narrow crystal size distribution by a novel WWDJ batch crystallizer, 161
Control of solvent-mediated transformation of crystal polymorphs using a newly developed batch crystallizer (WWDJ-crystallizer), 169
- Yield
Simulation of CO_2 hydrogenation with CH_3OH removal in a zeolite membrane reactor, 53
- Zeolites
Verification of the Maxwell–Stefan theory for tracer diffusion in zeolites, 7